

Message

From: Salazar, Matt [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=F459CB14AE8946F3BEDE7DF7718CF26F-MSALAZAR]
Sent: 7/2/2019 11:24:30 PM
To: Michael Wall [MWall@baaqmd.gov]
Subject: Re: Schnitzer & [Ex: 7A] Inspection

Hi Mike,

Thank you for checking. That should work. Please let me know if you have any questions.
Thank you,
Matt

Sent from my iPhone

On Jul 2, 2019, at 7:40 AM, Michael Wall <MWall@baaqmd.gov> wrote:

Matt,

Hi this is Mike Wall I'm the Supervisor for Schnitzer I just found out I'll have 2 new Inspectors assigned 7/23 it would be beneficial for them to gain the experience of touring Schnitzer with us so that would make 4 total from BAAQMD in addition to yourselves would that be ok please?

- Mike

----- Original message -----

From: "Salazar, Matt" <Salazar.Matt@epa.gov>
Date: 6/25/19 5:55 PM (GMT-08:00)
To: Tracy Lee <TracyLee@baaqmd.gov>
Cc: Michael Wall <MWall@baaqmd.gov>, Jeremy Kimball <JKimball@baaqmd.gov>, "Connolly, Scott" <Connolly.Scott@epa.gov>, "Sims, Mark" <Sims.Mark@epa.gov>
Subject: Re: Schnitzer & [Ex: 7A] Inspection

Hi Tracy,

Thank you for checking. Yes, July 23rd works for my team. We were thinking 8:30-9 am arrival for Schnitzer and 1-1:30 arrival time for [Ex: 7A]. Does that work? I cc'd Scott and Mark, our team. Please let me know if you have any questions.

Thank you,
Matt

Sent from my iPhone

On Jun 25, 2019, at 4:48 PM, Tracy Lee <TracyLee@baaqmd.gov> wrote:

Hi Matt,

Looks like the 7/23 works for all our staff for the [Ex: 7A] and Schnitzer inspection. Our Inspectors, Scott Applin (Schnitzer) and Bob Delarni [Ex: 7A] are available to accompany your team for the inspection. Please confirm the date and time for each inspection. I've cc'd Michael Wall, the Supervisor for Schnitzer, and Jeremy Kimball, the Supervisor for [Ex: 7A] in this email.

Tracy Lee

Manager, Compliance & Enforcement Division

Bay Area Air Quality Management District

375 Beale Street, Suite 600

San Francisco, CA 94105

Office: 415.749.4699 | Cell: **Ex. 6 PP**